

1. Scenario Preset

- (1) There are 10 Area which are far from each other or are hard for RS485 wiring.
- (2) Each Area has 1 load 3-phase powered by 1 circuit 3-phase that needed to be monitored.
- (3) Each circuit are with rated voltage of 400Vac L-L&230Vac L-N, and with rated current of 150A AC.
- (4) Circuits' current are carried by cable, of which the size was suitable for φ24mm aperture. (diameter)
- (5) For each monitoring circuit, we will install 1* ADW300-WF/C Wireless WiFi 3-phase Energy Meter paired with 3* AKH-0.66/K K-φ24 150/5 for current input.

2. Devices Deployment Plan


Area #1 - Load #1:

- 1* ADW300-WF/C Wireless WiFi Energy Meter
- 3* AKH-0.66/K K-φ24 150/5 Split-core Current Transformer

Area #10 - Load #10:

Area #10


- 1* ADW300-WF/C Wireless WiFi Energy Meter
- 3* AKH-0.66/K K-φ24 150/5 Split-core Current Transformer





2. Communication Structure&Logic

- (1) WiFi Communication could be served as one of the final data upstream methods by sending the data to cloud server deployed in Internet via your WiFi Internet Router so that Acrel IoT System could be interact with these data collected by bottom metering devices like Energy Meter
- (2) ADW300-WF/C Wireless WiFi 3-phase Energy Meter has a built-in WiFi communication module which allow it to directly send data to your Internet WiFi Router using MQTT and MODBUS-TCP protocol without using a extra WiFi IoT Gateway. Then your WiFi router will send the data further to internet for a final data upstreaming.
- (3) In the factory manufacturing stage, we can set the WiFi configuration (WiFi account and password) in ADW300-WF/C so that users don't need to set WiFi configuration again.
- (4) ADW300-WF/C also have a RS485 communication normally used for devices adjustment with Acrel ADW300 adjustment softare. For example, setting like WiFi configuration could be done.





3. Overall Model Selection&Quoation

(1) This Quotation doesn't include freight charge. To gain a complete quotation, please refer the actual quantity that you want to request for the actual order, once we receiving it. We will issue a Official Proforma Invoice with Acrel Stamps on it for later procedure.

| 1. System support all the meters across the country whose data has been sent to clud server through 40. Will or Ethernet. 2. Person been sent age of all a collection. 2. Person been sent age of all a collection. 4. Generate energy data report of self-year of the server provider in the senting and person of rest of the sent person of self-year person of self-yea | | | System Software | | | | |
|--|--|--|---|----------------------------|--|---|--|
| 1. System support at the meters across the country whose data has been sent to cloud server betterment. 2. Remote meter raiding and data collection. 3. Provides for 17 Provides before the country of the control of the server for the country of th | Name | | Description | System Price | | Remark (Choose Host Service or Buy-out Service after 3- month Free Trial of Cloud IoT System) | |
| Acrel Cloud IoT Energy Management System Acrel Cloud Server Cloud Server Cloud Server Acrel Cloud Server Cloud Server Acrel Cloud IoT Energy Management System only the International Control our Cloud IoT System, we will use or own choule server with International System only the International System on In | | been sent to cloud s | been sent to cloud server through 4G,WiFi or Ethernet. 2.Remote meter reading and data collection. 3.Provide IoT APP for mobile phone side and IoT WEB for PC side. 4.Generate energy data report of daily, monthly and annually | | 3- | 3-month Free Trail (Users don't need to rent a cloud server)) | |
| S. Provide various alarm function to ensure a stable operation of the system and protect your property. 6. Offer 3-month free trial of system with full technical support (Prov. of Survey.) Cloud Server Name | | 3.Provide IoT APP 4.Generate energy | | | Only, connecte | \$xx to buy Hosting Service for 1 monitoring point connected to the system 1 year | |
| Cloud Server Name Description Cloud Server Renting Price (For Reference Only) 1. Cloud Server could be rent on the cloud server provider like Anazon Cloud. 2. Users of Cloud for Energy Management System only need to rent cloud server when they choose buy-out service of our Cloud for T System. And if they are using hosting service or 3-month free trial of our Cloud of T System. And if they are using hosting service or 3-month free trial of Cloud Server Cloud Server Cloud Server WiFi Wireless Energy Meter WiFi Wireless Energy Meter Overview Picture USAGESMODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUN Communication: Wifi Wireless Communication (2.4 CH2-NRS-858 (MODBUS-RTU)) Rated Vollage; 28380–450 Vac L-1 or 3x650 Vac L-1 (45-65Hz) Rated Vollage; 28380–450 Vac L-1 or 3x650 Vac Paired Split-core CT Overview Picture USAGESMODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUN Current Ratio: 150/5A AC Aperture: 224-min (diameter) ACURRON (Sass 10) Current Ratio: 150/5A AC Aperture: 224-min (diameter) ACURRON (Sass 10) Current Ratio: 150/5A AC Aperture: 224-min (diameter) ACURRON (Sass 10) Current Ratio: 150/5A AC Aperture: 224-min (diameter) ACURRON (Sass 10) Current Ratio: 150/5A AC Aperture: 224-min (diameter) ACURRON (Sass 10) Current Ratio: 150/5A AC Aperture: 224-min (diameter) | 5.Provid Acrel Cloud Int Fnergy Management System of the s | | 5. Provide various alarm function to ensure a stable operation of the system and protect your property. | | Points) 1-time charging permanent use (A | 1-time charging of \$xxxx for Buy-out Service of permanent use (A cloud server need to be rent b | |
| Description 1. Cloud Server could be rent on the cloud server provider like Amazon Cloud. 2. Users of Cloud IoT Energy Management System only need to rent cloud server when they choose buy-out service of our Cloud IoT System. And if they are using hosting service or 3-mount free trial of our Cloud IoT System, will use our own cloud server which has been rent on Amazon shat users don't need to rent actions server. 3. The quotation of Cloud Server is only a reference price that we have rent on Amazon shat users don't need to rent actions server. 3. The quotation of Cloud Server is only a reference price that we have rent on Amazon Cloud. WIFI Wireless Energy Meter Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUNT PRICE (USD) AMOUNT Paired Split-core CT Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUNT PRICE (USD) AMOUNT Paired Split-core CT Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUNT PRICE (USD) AMOUNT Paired Split-core CT Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUNT PRICE (USD) AMOUNT PRICE (USD) AMOUNT PRICE (USD) Current Sx1(6)A AC (via CTs) Auxiliary Power Supply: 85-265Vac AKH-0.664K K-924 AKH-0.664K K-924 ACCORDING SERVER PRICE (USD) Server Renting Price (Price Accuracy: Cloud Server Indicated Price Indicated Pr | | as for a test phase | or nilot araiect | Only,recommended in late p | projtect) | users) | |
| Cloud Server Clou | | | Cloud Server | | | | |
| Cloud Server According to Specs of Rented Cloud Server is only a reference price that we have rent on Amazon so that users don't need to rent a cloud server. Server Cloud Server is only a reference price that we have rent on Amazon Cloud. WIFI Wireless Energy Meter WiFi Wireless Energy Meter Communication: WiFi Wireless Communication (2.4GHz)sRS485 (MODBUS-RTU) Rated Voltage: 3x380-456Vac L-L or 3x650Vac L-L or 3x650Vac L-L or 3x650Vac L-L or 3x1(6)A AC (via CTs) Auxiliary Power Supply: 85-265Vac Paired Split-core CT Coverview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUN Communication: WiFi Wireless Communication (2.4GHz)sRS485 (MODBUS-RTU) Rated Current: 3x1(6)A AC (via CTs) Auxiliary Power Supply: 85-265Vac Current Ratio: 150/5A AC Aperture: 924mm (cliameter) According to Specs of Rented Cloud Server is not so that we have rent a cloud server. Communication: WiFi Wireless Communication (2.4GHz)sRS485 (MODBUS-RTU) Rated Current: 3x1(6)A AC (via CTs) Auxiliary Power Supply: 85-265Vac Current Ratio: 150/5A AC Aperture: 924mm (cliameter) According to Specs of Rented Cloud Server is not server to rail to retail of the communication (2.4GHz)sRS485 (MODBUS-RTU) Rated Current Transformer AKH-0.66KK K-924 According to Specs of Rented Cloud Server is not server the ratio of nour winch has been rent a cloud server the ratio of nour winch has been rent a cloud server the ratio of nour winch has been rent a cloud server the ratio of nour winch has been rent a cloud server the ratio of nour winch has been rent a cloud server the ratio of nour winch has been rent a cloud server than the ratio of nour winch has been rent a cloud server t | Name | | Description | | | Remark | |
| Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUNT Communication: WiFi Wireless Communication (2.4GHz)&RS485 (MODBUS-RTU) Rated Voltage: sx380-456Vac L-L or 3x660Vac L-L or 3x660Vac L-L or 3x660Vac L-L or 3x16(5)A AC (via CTs) Auxiliary Power Supply: 85-265Vac Paired Split-core CT Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUNT FOB UNIT PRICE (USD) | Cloud. 2. Users of Cloud & 2. Users of Cloud & cloud server when the System. And if they our Cloud In System for Amazon so 3. The quotation of 3. The quotation of Cloud Server. | | of Energy Management System only need to rent hey choose buy-out service of our Cloud loT are using hosting service or 3-month free trial of em, we will use our own cloud server which has been that users don't need to rent a cloud server. Cloud Server is only a reference price that we have | | ed Cloud 1000~2000 mor | Below cloud server specs could support 1000~2000 monitoings points connected to the system (Server: 8 core 16G Operation System: windows server 2016) | |
| Communication: WiFi Wireless Communication (2.4GHz)&RS485 (MODBUS-RTU) Rated Voltage: 3x380-456Vac L-L or 3x660Vac L-L (45-65Hz) Rated Current: 3x1(6)A AC (via CTs) Auxiliary Power Supply: 85~265Vac Paired Split-core CT Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUN Split-core Current Transformer AKH-0.66/K K-φ24 Aperture: φ24mm (diameter) ACcuracy: Class 1.0 | | | WiFi Wireless Energy Met | ter | | | |
| 3-phase WiFi Wireless Energy Meter ADW300-WF/C 3-phase WiFi Wireless Energy Meter ADW300-WF/C 3-phase WiFi Wireless Energy Meter ADW300-WF/C Rated Voltage: 3x380~456Vac L-L or 3x660Vac L-L (45~65Hz) Rated Current: 3x1(6)A AC (via CTs) Auxiliary Power Supply: 85~265Vac Paired Split-core CT Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUN Current Ratio: 150/5A AC Aperture: φ24mm (diameter) AKH-0.66/K K-φ24 Accuracy: Class 1.0 | Overview Picture | USAGE&MODULE NAME | DESCRIPTION & SPECIFICATION | QUANTITY | FOB UNIT PRICE (USD) | AMOUNT (USD) | |
| Overview Picture USAGE&MODULE NAME DESCRIPTION & SPECIFICATION QUANTITY FOB UNIT PRICE (USD) AMOUN Current Trasnformer AKH-0.66/K K-φ24 Accuracy: Class 1.0 30 pcs / | 4 2 11 12 14 14 | | (2.4GHz)&RS485 (MODBUS-RTU) Rated Voltage: 3x380~456Vac L-L or 3x660Vac L-L (45~65Hz) Rated Current: 3x1(6)A AC (via CTs) | 10 pcs | 1 | 1 | |
| Split-core Current Trasnformer AKH-0.66/K K-φ24 Accuracy: Class 1.0 Current Ratio: 150/5A AC Aperture: φ24mm (diameter) Accuracy: Class 1.0 | | | Paired Split-core CT | | | | |
| Split-core Current Trasnformer AKH-0.66/K K-φ24 Accuracy: Class 1.0 Aperture: φ24mm (diameter) Accuracy: Class 1.0 | Overview Picture | USAGE&MODULE NAME | DESCRIPTION & SPECIFICATION | QUANTITY | FOB UNIT PRICE (USD) | AMOUNT (USD) | |
| | | | Aperture: φ24mm (diameter) | 30 pcs | 1 | 1 | |



5. Acrel IoT Energy Monitoring System (Partail Introduction)

Acrel IoT Energy Monitoring System could be access in 2 different ways:

(1) Access through WEB on your computer.

Access port: https://iot.acrel-eem.com/

(2) Access through APP on your mobile phone

Download Link: https://play.google.com/store/apps/details?id=com.acrel.iotems

(1) WEB Accesss (Computer):

Access Port: https://iot.acrel-eem.com/

Test Account Name: acrel

Test Account Password: 123456



(2) APP Accesss (Mobile):


Download Link: https://play.google.com/store/apps/details?id=com.acrel.

iotems

Test Account Name: acrel

Test Account Password: 123456









5. Acrel IoT Energy Monitoring System (Partail Introduction)

Main Function of WEB side System:


- (1) Devices List (2) History Curve (3) Electricity Parameters Report (4) Energy Consumption Report (Daily, Monthly, Yearly) (5) User Report
- (1) Devices List: Showing the overall devices connected to Acrel System and were bond to certain project. SN code, Online-Offline status, devices model and other necessary information will be shown here.



(2) History Curve: Showing the daily history data curve of all the data that could be collected and upload by energy meter or other basic metering devices.



(2) History Curve: By selecting the items of "data" and "electricity parameter", platform can show the history curve of different data and date.






On-grid Solar System Online Monitoring Solution (3-phase, 4G based)


6. Acrel IoT Energy Monitoring System (Partail Introduction)

Main Function of WEB side System:


- (1) Devices List (2) History Curve (3) Electricity Parameters Report (4) Energy Consumption Report (Daily, Monthly, Yearly) (5) User Report
- (3) Electricity Parameters Report: Select the "electricity parameters" that you want to show in this report



(3) Electricity Parameters Report: All the electricity parameters that could be collected by certain energy meter will showed as a report here.



(3) Electricity Parameters Report: Report on platform could be exported in "Excel" format to your computer for a brief storage when accessing the IoT EMS WEB platform.







5. Acrel IoT Energy Monitoring System (Partail Introduction)

Main Function of WEB side System:


- (1) Devices List (2) History Curve (3) Electricity Parameters Report (4) Energy Consumption Report (Daily, Monthly, Yearly) (5) User Report
- (4) Energy Report (Daily): This Interface show the daily energy consumtion report (calculated by forward active energy)



(4) Energy Report (Daily): This daily energy report could be also export to computer in "Excel" format



(4) Energy Report (Monthly& Yearly): Same as daily energy report, monthly and yearly energy report could be also checked on platform and exported in "Excel" format.







5. Acrel IoT Energy Monitoring System (Partail Introduction)

Main Function of WEB side System:


- (1) Devices List (2) History Curve (3) Electricity Parameters Report (4) Energy Consumption Report (Daily, Monthly, Yearly) (5) User Report
- (5) User Report: A comprehensive user report including project overview, energy report, energy analysis and etc could be check on platform



(5) User Report: User report could be exported in "PDF" format into your PC for convenient check and storage.



(5) User Report: User report support template customization in buy-out service of Acrel IoT Energy Monitoirng System.






5. Acrel IoT Energy Monitoring System (Partail Introduction)


Main Function of APP side System:

(1) Devices List (2) History Curve (3) Electricity Parameters Report (4) Energy Trend (5) Energy Consumption Report (Daily, Monthly, Yearly)

Noted: Since APP side and WEB side of Acrel IoT Energy Monitoring System share the same data, normally recommend our user to add the devices to their account using APP and check the data using WEB platform.




(1) Device List



(3) Parameter Report



(2) History Curve



(4) Energy Trend



(2) History Curve



(5) Energy Report